

Clinical Observations of Qi Coil Frequency Applications in 25 Participants

Study authors: Dr. Jane Statlander-Slote, PsyD, LCSW; Dr. Sapneil Parikh, DMD, MS, MPH.

Study Objective

The report describes an observation of psychological, physical, and spiritual symptoms among 25 adults using Qi Coil frequency applications over seven months. It compares symptoms reported before and after the use of selected frequency settings.

Participants and Methodology

The report included 25 adults aged 35 to 85 from varied gender and ethnic backgrounds. Participants consented to self-reporting their experiences. The equipment was described as a Qi Coil system with an amplifier, using selected RIFE frequency settings. Symptoms were recorded at the start and end of the observation period. The report states that potential confounding variables were not measured.

Reported Results

The source describes participant-reported changes across 25 symptom or condition categories. It reports relief of depressive symptoms after an initial 90-minute session and an absence of reported anxiety symptoms on the fourth day following three days of 40-minute sessions. For vertigo, the source describes changes over four days. Hearing difficulties were reported to improve after three months, with some impairment remaining.

The report also describes fewer meltdowns in a participant with autism spectrum disorder after three months, as well as changes involving nausea, eczema, psoriasis, reflux, fatigue, muscle pain, and other concerns. For skin cancer, the source reports that a growth decreased in size. For diabetes, it describes changes following frequency use alongside a plant-based diet. These are claims reported by the source authors, not independently established treatment effects.

Improvement Figures Reported in the Source

The following figures reproduce the condition-level percentages and durations in the source table on page 7. The source labels these percentages as "cure rate"; here they are presented as reported figures without interpreting them as verified clinical cure rates.

Condition	Reported figure	Duration
Depression	100%	1 week
Anxiety	100%	1 week
Nausea	100%	4 weeks
Eczema	100%	1 week
Cysts	100%	1.3 weeks

Condition	Reported figure	Duration
Muscle pain	100%	0.43 weeks
Adverse life events	100%	8 weeks
Vertigo	95%	1 week
Incontinence	95%	1 week
Toothache	95%	1 week
Earache	95%	1 week
Influenza symptoms	90%	4 weeks
Fatigue	90%	4 weeks
Tooth decay	85%	8 weeks
Skin cancer	85%	12 weeks
Negativity	80%	6 weeks
GERD	80%	8 weeks
Stomach acidity	80%	8 weeks
Diabetes	80%	12 weeks
Hearing loss	75%	12 weeks
Psoriasis	75%	8 weeks
High cholesterol	75%	12 weeks
Lyme disease	75%	12 weeks
Enlarged lymph nodes	75%	8 weeks
Autism	60%	12 weeks

Additional Observations

The report describes more favorable outcomes among participants following plant-based diets and detoxification regimens. It also reports slower symptom changes among participants with histories of childhood trauma or attachment difficulties. Energy psychology, dietary practices, and other approaches were described alongside frequency applications.

Conclusion Reported by the Authors

The authors describe symptom improvements or reductions during the observation period among participants following consistent Qi Coil frequency regimens. The original conclusion also refers to dietary changes, energy psychology, and approaches addressing past trauma.

Source and Scope

Original report: Clinical Study Using Qi Coil & Frequencies of 25 Patients Over a 7 Month Period (October 10, 2024), attributed to Dr. Jane Statlander-Slote and Dr. Sapneil Parikh.